

KEYQUINDOX-100TM

FEED ADDITIVE GROWTH PROMOTANT FOR PIGS OF ALL AGES, FOR REDUCTION OF SCOURING OUTBREAKS AND CONTROL OF CAMPYLOBACTER-INDUCED DISEASE IN GROWING PIGS.

PRESENTATION: A free-flowing yellow coloured powder.

ACTIVE CONSTITUENTS: Each kg contains: OLAQUINDOX 100 g

PROPERTIES: KEYMIX® KEYQUINDOX- 100^{TM} contains olaquindox – a proven growth promotant for pigs. The safety and efficiency of the active compound are both well established. It may be used from weaning up to slaughtering weight, and the short withholding period (12 hours) maintains the benefits and convenience of using medicated feed up to the night before consigning pigs to market.

As a growth promoter, **KEYQUINDOX-100™** increases feed conversion efficiency leading to improved growth rates, assisting pigs attain market weight sooner using less feed. In addition, it reduces the scouring diseases caused by organisms susceptible to olaquindox, such as Campylobacter, which is a common cause of scouring outbreaks in pigs, particularly the severe form as necrotic enteritis or haemorrhagic bowel syndrome. Campylobacter disease principally affects grower pigs, causing diarrhoea and ill thrift, and in older pigs (over 14 weeks) it may cause dysentery and sudden death.

KEYQUINDOX-100™ fed continuously at the recommended use rates controls campylobacter disease.

DOSAGE AND ADMINISTRATION:

Mixing rates per tonne of feed:

Pigs less than 35 kg body weight: $1 \text{ kg KEYQUINDOX-100}^{\text{TM}}$ per tonne of feed.

Pigs over 35 kg body weight: $500 \text{ g } \text{KEYQUINDOX-} 100^{\text{TM}} \text{ per tonne of feed (ad lib feeding)}.$

250 g **KEYQUINDOX-100[™]** per tonne of feed (set feeding levels).

The recommended rate for reduction of scours is 1 kg of **KEYQUINDOX-100**^{$^{\text{TM}}$} per tonne of feed. Mix thoroughly in the feed by mixing first with about 10 kg of grain, and by adding early into the batch.

WARNING: KEEP WHITE PIGS OUT OF DIRECT SUNLIGHT DURING USE OF KEYQUINDOX-100™.

MEAT WITHHOLDING PERIOD: DO NOT USE less than 12 hours before slaughter for human consumption.

TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI): This product does not have an ESI established. For advice on the ESI, contact the manufacturer on (02) 9672 7944 before using this product.

POISONS SCHEDULE: NOT APPLICABLE

REGULATORY STATUS: AUSTRALIAN PESTICIDES & VETERINARY MEDICINES AUTHORITY

PACK SIZE: 5 kg, 25 kg, 30 kg

Australia-Wide Toll Free: 1800 801 201
Email: info@iahp.com.au
Website: www.iahp.com.au