

TYLECO® 250 GRANULAR

PREVENTION AND CONTROL OF DISEASES CAUSED BY ORGANISMS SENSITIVE TO TYLOSIN IN PIG. REDUCED INCIDENCE OF LIVER ABSCESS IN CATTLE.

PRESENTATION: A light brown, free flowing micro-granules.

ACTIVE CONSTITUENTS: Each kg contains: 250 g TYLOSIN (as tylosin phosphate)

PROPERTIES: TYLECO® 250 GRANULAR contains tylosin phosphate, a macrolide antibiotic which is a complex mixture of closely-related antibiotics, more effective against gram-positive than gram-negative micro-organisms. It is also active against mycoplasmas and some rickettsiae. It aids in controlling enteric diseases, prevention of swine dysentery and prevention and treatment of ileitis in pigs. Helps in reduction of the incidence of liver abscess in cattle. **TYLECO® 250 GRANULAR** is relatively non-toxic following oral administration and has a wide margin of safety in all species.

DOSAGE AND ADMINISTRATION:

BEFORE USE, THOROUGHLY MIX **TYLECO® 250 GRANULAR**, ACCORDING TO THE RECOMMENDED DOSAGES DESCRIBED UNDER, 'DOSAGE AND ADMINISTRATION' UP TO MAXIMUM PROPORTION OF 0.4 kg (400 grams) **TYLECO® 250 GRANULAR** TO 1 TONNE OF FINAL FEED:

| PIGS: | TYLECO® 250 GRANULAR /tonne of feed | Tylosin equivalent /tonne of feed |
|---|-------------------------------------|-----------------------------------|
| Prevention of Swine dysentery: | | |
| Growing pigs up to 20 kg body weight | 400 g | 100 g |
| Growing and breeding pigs over 20 kg to slaughter | 160 g | 40 g |
| Treatment of ileitis (feed for 21 days): | 400 g | 100 g |
| Prevention of ileitis: | 160 g | 40 g |
| Control of Enteric diseases: | 400 g | 100 g |

CATTLE: Reduction in the incidence of liver abscess:

In complete feeds: 44 g TYLECO® 250 GRANULAR/tonne of feed (equivalent to 11ppm* tylosin).

Supplementary feeds: 60 to 150 mg tylosin/animal/day (see label for details).

Increase the level of TYLECO® 250 GRANULAR up to the required dose of tylosin over a period of 5 to 7 days. Dietary changes should be done gradually. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.

WITHHOLDING PERIOD: MEAT - NIL (at 100 g or less tylosin per tonne of final feed). MILK - NIL.

TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI): This product does not have an ESI established. For advice on the ESI, contact the manufacturer on (02) 9672 7944 before using this product.

POISONS SCHEDULE: S4.

REGULATORY STATUS: AUSTRALIAN PESTICIDES & VETERINARY MEDICINES AUTHORITY.

PACK SIZE: 25 kg.

| Australia-Wide Toll Free: 1800 801 201 | |
|--|--|
| Email: info@iahp.com.au | |
| Website: www.iahp.com.au | |
| | |

[®] TYLECO and the Australian/World symbol are registered trademarks of International Animal Health Products P/L.

[©] Copyright 2001–2023. All Rights Reserved.

^{*} ppm (parts per million) = mg/kg